Factory Address:

3/F, Building B, Changyin Industrial Park, 56 Chuangli Road, Hecheng Town, Heshan City, Jiangmen, Guangdong,China

Office Address: 15E,Rui Jun Business Tower,No.108,Zhong Xin Road,Shajing Town,Shenzhen 518125,China

WhatsAPP: +86 188 2346 6350 E-Mail: steven@symbo-flex.com Web: www.symbo-flex.com









RUBBER HOSE SERIES











Company Introduction

Symboflex Technology Ltd. was established in September 2022. We are specializd in the researching, developing and manufacturing of high-quality rubber and plastic hoses and fiber hoses in various types of industry, agriculture, food and medical fields.

Our company is located at No. 56 Chuangli Road, Hecheng Town, Heshan City, Jiangmen, Guangdong Province, with an existing factory area of 5,000 square meters. Currently, it has 16 plastic and rubber hose extrusion production lines, 3 PVC fiber cloth pipe production lines, and 6 silicone pipe production lines. The monthly production capacity of rubber and plastic hoses reaches 500 tons, and the monthly productivity of PVC fiber cloth pipes reaches 60,000 meters. Themonthly production capacity of air distribution ducts reaches 30,000 meters; the monthly production capacity of synthetic material hoses reaches 50,000 meters.

Our company established the brand hose SYMBOFLEX in 2023, and the brand meaning is "the symbol of flex hose".

Symboflex, the symbol of flex!











Certificatic :



Company











SGS		
man,		
And and a second second		
3-2		
100		
-		
And her	-	
10	1. Spinister	NUCES.


symb@flex

SWAGED HOSE FITTING

HYDRAULIC HOSE FITTING

Our company has been engaged in the production of hydraulic hose fitting with Eaton standard for more than 20 years .including DIN, JIC, BSP, BSPT, NPT, ORFS and other types.We have a large inventory of quality Spare parts to meet our clients requirements.

- High Quality and Competitive Price
- Plentiful Supply Of Stock
- Fast Delivery




JIC/ORFS/METRIC/BSP/SAE/UNF/HYDRAULIC HOSE FITTING/ONE PIECE/ BANJO FITTING/WASHING FITTING/INTERLOCK FITTINGS





P/N:00TF0 Ferrule for teflon hose

P/N:00018 Ferrule for sae 100r7 hose





P/N:00400 Ferrule for 4sp,4sh/10-16,r12/06-16 hose

P/N:00402 Sae r12/4sh ferrule (manuli m00900/ Interlock ferrule for r13/r15 hose 10/20)





P/N:00400-F **Customized** ferrule

P/N:10411/10511 Metric male 24° cone seat L.T/H.T





P/N:12611L **Customized length BSP male** P/N:13100 **BSPT** male





P/N:00210 Ferrule for sae 100r2at/din 20022 2sn hose





P/N:00621

P/N:03310 Ferrule for sae 100r2at/en 853 2sn hose



P/N:12611 **BSP** male



P/N:12611A BSP male double use for 60° cone seat or bonded seal



P/N:14211 ORFS male o-ring seal



P/N:15611 NPT male



THE SYMBOL OF FLEX

SWAGED HOSE FITTING



P/N:16711 JIC male



P/N:18611 JIS metric male 60° cone seal



P/N:20111 Metric female multiseal



P/N:20211 Metric female flat seat



SWAGED HOSE FITTING





P/N:720B **BSP** bolt

P/N:70011 Metric banjo





P/N:20411/20511



P/N:20411C Metric female 24° cone o-ring L.T/H.T Metric female 24° cone without oring L.T



P/N:20411W Metric female 24° cone o-ring L.T thrust-wire-nut



P/N:20711 Metric female 74° cone seat

P/N:87911 Sae flange 9000psi

P/N:90011 Double connector



P/N:20741 45°metric female 74° cone seat





P/N:20191 90°metric female multiseal

P/N:20291 90°metric female flat seat





P/N:21611 NPSM female 60° cone sae

P/N:40011

Welding fitting



P/N:22611 BSP female 60°cone

P/N:50011

Metric standpipe straight



P/N:24211 **ORFS** female flat seat





P/N:26711





P/N:720B-B Parker standard bolt



P/N:700M

Metric bolt



P/N:72011 **BSP** banjo



P/N:87311/87611 Sae flange 3000psi/6000psi



P/N:20241 45°metric female flat seat



P/N:20441/20541 45°metric female 24° cone o-ring L.T/ H.T



P/N:24241 45°ORFS female flat seat

P/N:26741 45°JIC female 74° cone seat sae

P/N:20491/20591 90°metric female 24° cone o-ring L.T/H.T



P/N:20491C 90° metric female 24° cone without o-ring L.T



Symb@flex _____THE SYMBOL OF FLEX _____

SWAGED HOSE FITTING



P/N:20791 90°metric female 74° cone seat



P/N:22691 90°BSP female 60°cone



P/N:22691K 90°BSP compact female 60° cone seat sae





P/N:24291 90°ORFS female flat seat

INTERLOCKHOSE FITTING



P/N:15613

P/N:24213

Npt male interlock fitting



P/N:16713 Jic male interlock fitting

P/N:26713

interlock fitting

ORFS female flat seat interlock fitting Jic female 74° cone seat sae



P/N:26791 90°JIC female 74° cone seat sae



P/N:26791K 90°JIC compact female 74° cone seat sae



P/N:50091 90°metric standpipe straight

P/N:87391/87691 90°Sae flange 3000psi/6000psi



P/N:87391L/87691L 90ºSae flange 3000psi/6000psi long drop



P/N:87991 Sae flange 9000psi



P/N:FL/FS Sae split flange clamps 3000psi/ 6000psi



P/N:15611N NPT female



P/N:87343/87643 45° sae flange 3000psi/6000psi interlock fitting

P/N:22693 90°bsp female 60°cone one piece interlock fitting





P/N:87393/87696 90° sae flange 3000psi/6000psi interlock fitting

90° sae flange 9000psi interlock fitting
















P/N:22613 interlock fitting



P/N:87313/87613 Sae flange 3000psi/6000psi interlock fitting



P/N:87913 Sae flange 9000psi interlock fitting



P/N:24293 90° orfs female flat seat interlock fitting



P/N:26793 90°jic female 74° cone seat sae interlock fitting



Symb@flex ______THE SYMBOL OF FLEX_____

DOUBLE HEXAGON HOSE FITTING



P/N:22611D BSP female 60° double hexagon



P/N:24211D **ORFS** female flat seat double hexagon



P/N:26711D JIC female 74° double hexagon



P/N:28611D

JIS metric female 60° double hexagon



P/N:29611D JIS gas female 60° double hexagon

P/N:24291D

hexagon

P/N:24241D 45°ORFS female flat seat double hexagon




P/N:26741D 45°JIC female 74°double hexagon



P/N:22691D 90° BSP female 60° double hexagon



90°ORFS female flat seat double hexagon



90°JIS metric female 60°double



ONE PIECE FITTING





P/N:15611RW NPT male one piece

P/N:16711RW JIC male one piece

piece





P/N:34211RW 90°ORFS female flat seat one piece

P/N:26711RW JIC female 74°cone seat sae one





P/N:20491/20591RW 90°metric female 24° cone o-ring L.T/H.T one piece

P/N:22691RW 90°BSP female 60°cone one piece



P/N:87391/87691RW 90°sae flange 3000psi/6000psi one piece









P/N:20411/20511RW P/N:22611RW Metric female 24° cone o-ring L.T/H.T BSP female 60° cone one piece one piece



P/N:26711DRW JIC 74° cone seat sae double hexagon one piece



P/N:87311/87611RW Sae flange 3000psi/6000psi one piece

P/N:24291RW 90°ORFS female flat seat one piece



P/N:26791RW 90ºJIC female 74º cone seat sae one piece



-THE SYMBOL OF FLEX

WASHING FITTING(KARCHER)





P/N:WASHING FITTING2





P/N:WASHING FITTING3

P/N:WASHING FITTING4



P/N:WASHING FITTING5



P/N:WASHING FITTING6

P/N:WASHING FITTING8





P/N:WASHING FITTING9

P/N:WASHING FITTING10

P/N:WASHING FITTING11




P/N:WASHING FITTING12





P/N:WASHING FITTING13

P/N:WASHING FITTING14






HYDRAULIC ADAPTER

All of our adaptors are available with different thread types and in different sizes. if you can not find the adaptors you are looking for, get in touch with our sales team. so we can find it for you.


High Quality And Competitive Price

- Plentiful Supply Of Stock
- Fast Deliovery









DIN/SAE/UNF/BSP/JIC/NPT/ORFS/OTHER SIZES & TYPES SUPPORT CUSTOMIZE SIZE & TYPE









THE SYMBOL OF FLEX

DIN SERIES



P/N:1C(REDUCERS) Staight reducers



P/N:1C Metric male 24° cone L.T/BSP male with captive seal

P/N:1CI-B

BSP banjo tube fitting



P/N:1CB-WD Metric male 24° cone L.T/BSP male with captive seal



P/N:1CG sealing



BSP thread stud ends with O-ring



P/N:1CH Metric thread stud ends



P/N:1CM-WD Metric thread with captive seal

P/N:1CI Metric banjo tube fitting

P/N:1CN

NPT male /metric male 24°cone l.t

P/N:1CI(PARKER)

Metric banjo tube fitting



P/N:1CT BSPT male /metric male 24° cone l.t Metric weld fitting



P/N:1CW



P/N:1CO UN.UNF THREAD thread stud ends with o-ring sealing



P/N:2GC BSP thread with captive seal/metric BSP thread stud ends with o-ring sealing

DIN SERIES





P/N:3C Straight tube adapter with swivel

P/N:5CB Metric male thread /BSP female





P/N:4C Metric male thread plug

nut

P/N:4C-WD Metric male thread plug with captive Metric lock nut seal






P/N:1CH9-OG 90° metric thread adjustable stud ends

P/N:1CN9 P/N:1CT9 90°BSPT male /metric male 24°cone 90°NPT male /metric male 24°cone I.t I.t





P/N:1C09-OG with o-ring sealing



Reducer tube adapter with swivel nut



P/N:2C



P/N:2BC-WD female 24° cone o-ring sealing

/metric female 24° cone o-ring sealing







P/N:5CM Metric male thread /metric female



P/N:6C Metric male straight bulkhead fitting



P/N:8C



P/N:1CG9-OG 90°BSP thread adjustable stud ends with o-ring sealing



P/N:1C9 90°metric male 24°cone l.t



P/N:3C9 90°straight tube adapter with swivel 90°metric male bulkhead fitting nut



P/N:6C9



_____THE SYMBOL OF FLEX ____

DIN SERIES



P/N:ACCG-OG BSP thread adjustable stud end with o-ring sealing run tee



Metric male 24° cone l.t equa tees





P/N:CC P/N:BC Brandch tee fitting with swivel nut Run tee fittings wih swivel nut



P/N:AC

P/N:NL/NS **Retaining nuts**

P/N:RL/RS Cutting ring



P/N:1C-RN Metric male 24° cone I.t/NPT male with cutting ring and nut

P/N:VKA

vka



BSP SERIES





P/N:1B BSP male double use for 60° seat

P/N:1B-WD P/N:1BN/1BT BSP male double use for 60°seat or BSP male doubele use for 60°seat bonded seal/BSP male captive seal or bonden seal/BSPT(NPT) male





P/N:1BG9-OG 90°BSP male 60°seat/BSP male o-ring adjustable stud end

P/N:1BN9/1BT9 90°elbow BSP male 60°seat/NPT





P/N:4BN-WD(SS) BSP male captive seal plug


P/N:5B-WD BSP male captive seal/BSP female





P/N:9B BSP demale 60° cone plug

P/N:CB BSP male 60°seat/BSP female 60° cone branch tee



male









P/N:2B BSP male double use for 60°seat or bonded seal/BSP female 60°cone



P/N:2B9 or bonded seal/BSP female 60°cone bonded seal plug

P/N:4B 90°BSP male double use for 60°seat BSP male double use for 60° seat or



P/N:6B BSP male 60°seat bulkhead



P/N:7B **BSP** female



THE SYMBOL OF FLEX

JIC SERIES



P/N:1J

P/N:1JN

P/N:5JT

P/N:1JG4

male o-ring

JIC male 74°/NPT male

JIC male 74° cone





P/N:1JFL



JIC male 74° cone /I-series flange

P/N:1JG JIC male 74° cone/BSP male o-ring

JIC SERIES





P/N:2J9 90°JIC female 74° cone/JIC male 74° JIC female 74° cone bulkhead cone



P/N:1JT JIC male 74°/BSPT male



P/N:2J JIC female 74° cone/JIC male 74° cone



P/N:5J JIC male/JIC female

JIC male 74° cone/BSPT female

45°elbow JIC male 74°cone /BSP



P/N:5JN JIC male 74°/NPT female

P/N:2J4

cone



P/N:1JN4 45°elbow JIC male 74°cone/NPT male



P/N:1JT4 male



45°elbow JIC male 74°cone/BSPT



P/N:1JN9 45°JIC female 74° cone/JIC male 74° 90°elbow JIC male 74°cone/NPT male



P/N:1JT9 90°elbow JIC male 74°cone/BSPT male



90°elbow JIC male 74°cone

P/N:1J9



P/N:1JG9-OG 90°elbow JIC male 74°cone /sae o-ring boss I-series

P/N:1JH9 · OG 90°elbow JIC male 74°cone /metric JIC female 74° cone bulkhead adjustable stud end I-series





P/N:4J JIC male 74° cone plug

P/N:9J JIC female 74°seat plug





P/N:CJ JIC male 74° cone/JIC female 74° seat run tee

P/N:AJJO-OG







P/N:6J9



P/N:1JO9 90°elbow JIC male 74°cone /sae o-ring



P/N:6J-LN



P/N:9J-CAP JIC female plug



P/N:AJ JIC male 74° cone tee



P/N:BJ JIC male 74° cone/JIC female branch tee



P/N:AJOJ-OG JIC male 74° cone/sae o-ring run tee JIC male 74° cone/sae o-ring run tee



_____THE SYMBOL OF FLEX ____

NPT SERIES



P/N:1N

NPT male





P/N:1T BSPT male

P/N:2NJ NPT male /JIC female 74°seat



P/N:2NU

NPT male /NPSM female 60°cone



ORFS SERIES





P/N:1FO ORFS male O-ring/SAE O-ring





P/N:3NU NPT female/NPSM female 60° cone

P/N:5N NPT male /NPT female



P/N:7N NPT female

P/N:9N NPT female plug



P/N:1N9 90°NPT male



P/N:1T9 90° BSPT male



P/N:5N9 90°NPT male /NPT female



P/N:7N9



90°NPT female



NPT female tee



P/N:3F ORFS female

P/N:1F

ORFS male O-ring

P/N:1F9 90°ORFS male o-ring





P/N:6F ORFS male O-ring bulkhead

P/N:9F ORFS female plug






P/N:CF ORFS male o-ring/ORFS female run tee





P/N:2NJ9 90°NPT male /JIC female 74°seat

P/N:2NU9 P/N:AN 90°NPT male /NPSM female 60°cone NPT male tee



55





- THE SYMBOL OF FLEX



P/N:1FG ORFS male O-ring/BSP male O-ring ORFS male O-ring/ORFS female

P/N:2F



P/N:2F9 90°ORFS male o-ring/ORFS female



P/N:4F ORFS male O-ring plug



P/N:AF **ORFS** male O-ring tee

P/N:BF ORFS male o-ring/ORFS female run tee





CUSTOMIZED PRODUCTS

CUSTOMIZED PRODUCTS

Here, there are products that surprise you. Give me your drawings or photos. I will design independent products for you according to your description. As long as you have an idea, we can make it.

- High-Precision CNC Processing
- Fast Deliovery
- Small Order Support



CAMLOCK/HOSE CLAMP





P/N:JR002











P/N:JR003

P/N:JR004



P/N:JR0015 P/N:JR0016



- THE SYMBOL OF FLEX -

CUSTOMIZED PRODUCTS











CUSTOMIZED PRODUCTS







P/N:JR0020

P/N:JR0037(TYPE-A)

P/N:JR0038(TYPE-B)

P/N:JR0021

P/N:JR0017

P/N:JR0022

P/N:JR0018

P/N:JR0023

P/N:JR0019

P/N:JR0024



P/N:JR0025(stainIess steel) P/N:JR0026(stainIess steel) P/N:JR0027(stainIess steel) P/N:JR0028(stainIess steel)



P/N:JR0041(TYPE-E)



P/N:JR0029(KC)

P/N:JR0030(HOSE MENDER) P/N:JR0031

P/N:JR0032

59

















